

**Amendments to the Claims:**

This listing of claims replaces all prior versions, and listings, of claims in this application.

**Listing of Claims:**

1. (Original) A mounting apparatus used for a flat panel display comprising:  
a handle member disposed at an edge of the flat panel display;  
a supporting member pivotally secured to the handle member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first arm portion and the second arm portion; and  
a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.
2. (Original) The mounting apparatus of claim 1, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the handle member.
3. (Original) The mounting apparatus of claim 1, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright flat panel display and the handle member attached therewith.
4. (Original) The mounting apparatus of claim 1, wherein the stand member is made of rubber.

5. (Original) A flat panel display comprising:  
a display screen;  
a handle member disposed at an edge of the display screen;  
a supporting member pivotally secured to the handle member, the supporting member comprising a first arm portion and a second arm portion wherein an obtuse angle is formed between the first arm portion and the second arm portion; and  
a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.

6. (Original) The flat panel display apparatus of claim 5, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the handle member.

7. (Original) The flat panel display apparatus of claim 5, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright display screen and the handle member attached therewith.

8. (Original) The flat panel display apparatus of claim 5, wherein the stand member is made of rubber.

9. (Original) A mounting apparatus used for a flat panel display comprising:  
a connecting member disposed at the back of the flat panel display;

a supporting member pivotally secured to the connecting member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first arm portion and the second arm portion; and

a stand member disposed at an end of the second arm portion;

wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.

10. (Original) The mounting apparatus of claim 9, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the connecting member.

11. (Original) The mounting apparatus of claim 9, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright flat panel display and the connecting member attached therewith.

12. (Original) The mounting apparatus of claim 9, wherein the stand member is made of rubber.

13. (Original) A flat panel display apparatus comprising.  
a display screen;  
a connecting member disposed at the back of the display screen;  
a supporting member pivotally secured to the connecting member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first portion and the second arm portion; and

a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to  
either a wall or a ceiling.

14. (Original) The flat panel display apparatus of claim 13, wherein the supporting  
member further comprises a tube member pivotally secured to an end of the first arm portion to  
allow the supporting member to pivot on the connecting member.

15. (Original) The flat panel display apparatus of claim 13, wherein a predetermined  
height of the supporting member ranges from the 0.8 fold to one-fold of the total length of an  
upright flat panel display and the connecting member attached therewith.

16. (Original) The flat panel display apparatus of claim 13, wherein the stand member is  
made of rubber.

17.-23. (Canceled).

24. (New) A mounting apparatus with a supporting member used for a flat panel  
display, wherein the supporting member comprising:  
a first arm portion for connecting a top edge of a backside of the flat panel display; and  
a second arm portion for connecting to the first arm portion and forming an inclined  
angle with respect to the first arm portion; and  
a stand member for providing required friction for the supporting member, wherein the  
stand member is positioned at an end edge of the second arm portion.

25. (New) The mounting apparatus with a supporting member of claim 24, wherein the first arm portion comprising a tube member positioned at the end of the first arm portion.

26. (New) The mounting apparatus with a supporting member of claim 25, wherein the tube member is used for turning the flat panel display to different inclined position.

27. (New) The mounting apparatus with a supporting member of claim 24, wherein the second arm portion comprises at least one hole for fastening the mounting apparatus to either a wall or a ceiling.

28. (New) The mounting apparatus with a supporting member of claim 24, wherein the stand member is made of rubber.